

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2292	primary with secondary with server	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/15 10:39
S2	0	(primary with secondary with server) same (smart adj language adj object)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/06 14:54
S5	1	(smart adj(BLOB and CLOB))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/06 16:31
S6	2	(smart adj large adj object)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/06 17:09
S7	2	selective\$2 adj2 access adj2 data and (CLOB or BLOB)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/06 17:10
S8	2	(selective\$2 adj2 access adj2 data) and (CLOB or BLOB)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/07 17:30
S9	1019	(access adj2 data) and (CLOB or BLOB)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/06 17:11
S10	356	(access adj2 data) and (CLOB or BLOB) and replicat\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/06 17:12
S11	136	(access adj2 data) and (CLOB or BLOB) and replicat\$3 and ("707"/. ccls.)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/07 10:00

EAST Search History

S12	5	(access adj2 data) and (CLOB or BLOB) and replicat\$3 and secondary adj server	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/06 17:26
S13	5	(access adj2 data) and (CLOB or BLOB) and replicat\$3 and (secondary adj server)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/07 10:39
S14	13	(access adj2 data) and (CLOB or BLOB) same replicat\$3 and ("707"/. ccls.)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/07 10:00
S15	2	(CLOB or BLOB) same replicat\$3 and (secondary adj server)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/07 10:40
S16	59	(CLOB or BLOB) same replicat\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/07 11:02
S17	4	(CLOB or BLOB) same replicat\$3 and ((secondary or destination) adj server)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/07 10:41
S18	1	replicate adj3 (large adj object)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/07 11:03
S19	6	replicat\$ adj3 (large adj object)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/07 11:34
S20	4	(large adj object adj header)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/07 11:35
S21	8	(large adj object adj3 header)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/07 16:19

EAST Search History

S22	79	(large adj object) same header	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/07 16:20
S23	45	(large adj object) same header and (replic\$ or copy)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/07 16:20
S24	881	(replica\$4) and (CLOB or BLOB)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/07 17:31
S25	320	(replica\$4) and (CLOB or BLOB) and log	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/07 17:31
S26	250	(replica\$4) and (CLOB or BLOB) and log and server	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/07 17:31
S27	144	(replica\$4) and (CLOB or BLOB) and log and server and header	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/07 17:33
S28	63	(replica\$4) and (CLOB or BLOB) and log and server and header and ("707"/.ccls.)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/07 17:33
S29	7	database with replicat\$4 with ((large adj object) or CLOB or BLOB)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/08 16:05
S30	1	("5175831").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/06/08 14:05
S31	1	("6175831").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/06/08 14:05

EAST Search History

S32	3	((("20030037029") or ("5937415") or ("6457067"))).PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/06/08 14:33
S34	38	rich.in. and "707/".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/08 14:35
S35	3429	rich.in.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/08 14:48
S36	26	replicat\$4 with ((large adj object) or CLOB or BLOB)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/08 16:06
S37	1	CLOB same data adj replication	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/09 17:20
S38	587	CLOB	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/09 17:20
S39	173	CLOB and database	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/09 17:20
S40	88	"character large object"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/09 17:21
S41	5	"character large object" and replication	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/06/09 17:21
S42	2542	primary with secondary with server	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 09:46

EAST Search History

S43	0	(primary with secondary with server) same (smart adj language adj object)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 09:46
S44	1	(smart adj(BLOB and CLOB))	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 09:46
S45	2	(smart adj large adj object)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 09:46
S46	2	selective\$2 adj2 access adj2 data and (CLOB or BLOB)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 09:48
S47	2	(selective\$2 adj2 access adj2 data) and (CLOB or BLOB)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 09:46
S48	1111	(access adj2 data) and (CLOB or BLOB)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 09:46
S49	380	(access adj2 data) and (CLOB or BLOB) and replicat\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 09:46
S50	141	(access adj2 data) and (CLOB or BLOB) and replicat\$3 and ("707"/. ccls.)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 09:46
S51	5	(access adj2 data) and (CLOB or BLOB) and replicat\$3 and (secondary adj server)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 09:46
S52	5	(access adj2 data) and (CLOB or BLOB) and replicat\$3 and secondary adj server	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 09:46

EAST Search History

S53	15	(access adj2 data) and (CLOB or BLOB) same replicat\$3 and ("707"/. ccls.)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 09:46
S54	2	(CLOB or BLOB) same replicat\$3 and (secondary adj server)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 09:46
S55	4	(CLOB or BLOB) same replicat\$3 and ((secondary or destination) adj server)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 09:46
S56	65	(CLOB or BLOB) same replicat\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 09:46
S57	1	replicate adj3 (large adj object)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 09:46
S58	8	replicat\$ adj3 (large adj object)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 09:46
S59	4	(large adj object adj header)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 09:46
S60	9	(large adj object adj3 header)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 09:46
S61	84	(large adj object) same header	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 09:46
S62	47	(large adj object) same header and (replic\$ or copy)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 09:46

EAST Search History

S63	951	(replica\$4) and (CLOB or BLOB)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 09:46
S64	348	(replica\$4) and (CLOB or BLOB) and log	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 09:46
S65	268	(replica\$4) and (CLOB or BLOB) and log and server	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 09:46
S66	151	(replica\$4) and (CLOB or BLOB) and log and server and header	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 14:11
S67	67	(replica\$4) and (CLOB or BLOB) and log and server and header and ("707"/.ccls.)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 09:46
S68	8	database with replicat\$4 with ((large adj object) or CLOB or BLOB)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 09:46
S69	1	("5175831").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/11/14 09:46
S70	1	("6175831").PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/11/14 09:46
S71	3	((("20030037029") or ("5937415") or ("6457067"))).PN.	US-PGPUB; USPAT; USOCR; EPO	OR	OFF	2006/11/14 09:46
S72	38	rich.in. and "707"/.ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 09:46

EAST Search History

S73	3514	rich.in.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 09:46
S74	31	replicat\$4 with ((large adj object) or CLOB or BLOB)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 09:46
S75	1	CLOB same data adj replication	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 09:46
S76	607	CLOB	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 09:46
S77	193	CLOB and database	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 09:46
S78	98	"character large object"	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 09:46
S79	5	"character large object" and replication	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 09:46
S80	3	high adj availability adj data adj replicator	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 13:25
S81	10	high adj availability adj data adj replicat\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 13:31
S82	30	high adj availability with data adj replicat\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 13:33

EAST Search History

S83	32	high adj availab\$5 with data adj replicat\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 13:59
S84	78	(replica\$4) same (CLOB or BLOB)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 14:12
S85	31	(replica\$4) with (CLOB or BLOB)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 14:45
S86	0	without adj locking adj blob	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 14:38
S87	43	(replica\$4 synchroniz\$5) with (CLOB or BLOB)	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 14:46
S88	12	read\$3 with blob with lock\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 19:35
S89	1476	oracle.as.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 19:35
S90	105	oracle.as. and replication	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 19:35
S91	2	oracle.as. and replication and blob	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/14 19:36
S92	7	blob with read with lock	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/15 10:39

EAST Search History

S93	7	blob with read with lock\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/15 10:39
S94	0	blob with read with lock\$3 with without	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/15 11:01
S96	23	large adj object with API	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/15 10:51
S97	1	(lob "large object") with read with lock\$3 with without	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/15 11:01
S98	1	(lob "large object") with read\$3 with lock\$3 with without	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/15 11:02
S99	12	(lob "large object") with read\$3 with lock\$3	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/15 11:02

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2672	"707/200".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/20 14:53
L3	1445	"707/201".ccls.	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2006/11/20 14:53